

# AP-FIC-010A-015

## 1xFE IEEE802.3af PoE Injector




### Technical Specifications


<b>Model</b>	AP-FIC-010A-015	<b>802.3af Standard Compatible</b>	Yes
<b>IP Camera Compatibility</b>		<b>Over Current Protection</b>	Supported
<b>Video Resolution</b>	Megapixel/D1/VGA	<b>Circuit Shorting Protection</b>	Supported
<b>Video Compression</b>	MJPEG/MPEG-4/H.264/H.265	<b>Power Pin Assignment</b>	1/2(+), 3/6(-)
<b>Compatible Camera List</b>	VIVOTEK Network Cameras*	<b>PoE PD Auto Detection</b>	Supported
<b>Ethernet</b>		<b>General</b>	
<b>Fast Ethernet (RJ45)</b>	1	<b>LED Indicators</b>	Power, PoE
<b>Standards</b>		<b>Power Input</b>	100~240VAC / 50~60Hz
<b>IEEE 802.3 10-BASE-T (Ethernet)</b>	Supported	<b>Power Consumption</b>	19W
<b>IEEE 802.3u 100-BASE-TX (Fast Ethernet)</b>	Supported	<b>Dimensions</b>	146 (L) x 64 (W) x 42 (H) mm
<b>IEEE 802.3af Power over Ethernet</b>	Supported	<b>Weight</b>	0.2 kg
<b>Transmission Media</b>		<b>Operating Temperature</b>	0°C ~ 50°C (32°F ~ 122°F)
<b>10Base T</b>	Cat. 3, 4, 5 UTP/STP	<b>Storage Temperature</b>	-20°C ~ 70°C (-4°F ~ 158°F)
<b>100Base TX</b>	Cat. 5, 5e UTP/STP	<b>Humidity</b>	Operating: 10~90% (Non-condensing) Storage: 10~90% (Non-condensing)
<b>PoE Function</b>		<b>Safety Certifications</b>	CE, C-Tick, FCC, VCCI, LVD
<b>Number of PoE Out Ports</b>	1	<b>Accessory</b>	
<b>PoE Output Power</b>	15.4W	<b>Included Accessories</b>	Power cord, QIG

\*Only IEEE 802.3af PoE Cameras

### Dimensions



### Application Diagram



All specifications are subject to change without notice. Copyright © VIVOTEK INC. All rights reserved. Ver. 5