



# MA8391-ETV MA9321-EHTV

Multi-Sensor Adjustable Dome Camera

## Accessories



Wall Mount



Pole Mount



Pendant Mount



Corner Mount



Parapet Mount



# MA8391-ETV MA9321-EHTV

Multi-Sensor Adjustable Dome Camera

## Pendant Mount



Item	Number	Description
AM-114	1	Pendant Head (Outdoor)
AM-116	1	Pendant Pipe (20 cm) (1.5" PS11)
AM-117	1	Pendant Pipe (40 cm) (1.5" PS11)
AM-529	1	Mounting Adapter (1.5" PS11 Male Connector)

\* AM-116 and AM-117 Pendant Pipes can be connected together multiple times to extend length of pendant mount as required by installation.  
\* To mount the multi-adjustable camera to AM-529, please use the inbox plate included in the package.



# MA8391-ETV MA9321-EHTV

Multi-Sensor Adjustable Dome Camera

Wall Mount



Item	Number	Description
AM-21C	1	Wall Mount Bracket
AM-718	1	Junction Box (Optional)

\* To mount the multi-adjustable camera to AM-21C, please use the inbox plate included in the package.



# MA8391-ETV MA9321-EHTV

Multi-Sensor Adjustable Dome Camera

## Pole Mount -1



Item	Number	Description
AM-21C	1	Wall Mount Bracket
AM-314	1	Pole Mount Adapter
AM-718	1	Junction Box (Optional)

\* To mount the multi-adjustable camera to AM-21C, please use the inbox plate included in the package.



# MA8391-ETV MA9321-EHTV

Multi-Sensor Adjustable Dome Camera

## Pole Mount -2



Item	Number	Description
AM-21C	1	Wall Mount Bracket
AM-315	1	Pole Mount Adapter
AM-718	1	Junction Box (Optional)

\* To mount the multi-adjustable camera to AM-21C, please use the inbox plate included in the package.



# MA8391-ETV MA9321-EHTV

Multi-Sensor Adjustable Dome Camera

## Corner Mount



Item	Number	Description
AM-21C	1	Wall Mount Bracket
AM-414	1	Corner Mount Adapter
AM-718	1	Junction Box (Optional)

\* To mount the multi-adjustable camera to AM-21C, please use the inbox plate included in the package.



# MA8391-ETV MA9321-EHTV

Multi-Sensor Adjustable Dome Camera

## Parapet Mount



Item	Number	Description
AM-231	1	Parapet Mounting Bracket
AM-529	1	Mounting Adapter (1.5" PS11 Male Connector)

\* To mount the multi-adjustable camera to AM-529, please use the inbox plate included in the package.

# Outdoor PoE Switch for IP Cam - Ordering Guide

## PoE Solution Supports up to 30W

### Outdoor Applicable IP Cameras

Type	Bullet	Fixed Dome	360° Fisheye
			
Model Name	IB8360/67A/69A IB836BA Series IB8377-H/79-H IB8382 Series IB9371/81 Series	CD8371 series FD8366-V/67A-V/69A-V FD836BA Series FD8382 Series FD9371/81 Series	FE8391-V FE9381-EHV FE9382-EHV FE9391-EV
Type	180° Panoramic	Mobile Dome	Multi-Sensor Adjustable Dome
			
Model Name	CC8370-HV CC8371-HV	MD8531H MD8563 Series MD8565-N	MA8391-ETV MA9321-EHTV



## Outdoor PoE Switch Options Supports Up to 30W Per Port


Unmanaged PoE Switch



- Easy to install
- IP67 and IK10 supported
- AC and PoE Surge Protection

Model	PoE Port	Combo Port	SFP Port	RJ45 Port	Max. PoE Output	Power Budget
AW-FET-053C-120	4xFE	-	-	1xFE	30W	120W
AW-FGT-103C-250	8xFE	2xGE	-	-	30W	240W
AW-GET-083A-120	4xGE	-	2xGE	2xGE	30W	120W
AW-GET-123A-240	8xGE	-	4xGE	-	30W	240W

## Long Range Application




## VivoCam L2+ PoE Switch



- Topology/Floor/Map view for IP surveillance
- PoE on/off control and cable diagnostics
- Discover ONVIF supported devices

Model	PoE Port	SFP Port	RJ45 Port	Max. PoE Output	Power Budget
AW-GET-086A-120	4xGE	2xGE	2xGE	30W	120W
AW-GET-126A-240	8xGE	4xGE	-	30W	240W

## Multi-Camera Application



# Outdoor PoE Switch for IP Cam - Ordering Guide

## PoE Solution Supports up to 60W

### Outdoor Applicable IP Cameras

Type	Speed Dome	Multi-Sensor	Mobile Dome	Zoom Lens
				
Model Name	SD9361-EHL SD9362-EH/-EHL	MS8391-EV MS8392-EV	MD8564-EH	IZ9361-EH

### Outdoor PoE Switch Options Supports Up to 60W Per Port

#### Unmanaged PoE Switch



- Easy to install
- IP67 and IK10 supported
- AC and PoE Surge Protection

Model	PoE Port	SFP Port	RJ45 Port	Max. PoE Output	Power Budget
AW-GEU-083A-240	4xGE	2xGE	2xGE	60W	240W

#### VivoCam L2+ PoE Switch



- Topology/Floor/Map view for IP surveillance
- PoE on/off control and cable diagnostics
- Discover ONVIF supported devices

Model	PoE Port	SFP Port	RJ45 Port	Max. PoE Output	Power Budget
AW-GEU-086A-240	4xGE	2xGE	2xGE	60W	240W

## Long Range Application

